



IPW
JH

PATENT ✓

Customer No. 22,852

Attorney Docket No. 03327.2319-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Tomomi ENDO et al.) Group Art Unit: 2839
)
Application No.: 10/771,287) Examiner: Le, Thanh Tam T
)
Filed: February 5, 2004)
)
For: CONNECTOR CAPABLE OF) Confirmation No.: 1144
PREVENTING INCOMPLETE)
FITTING)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

TRANSMITTAL LETTER

Enclosed is a reply to the Office Action of August 10, 2004. The items checked below are appropriate:

- ☒ Applicants hereby petition for two months extension of time to respond to the above Office Action. The fee of \$450.00 for the Extension is enclosed.

The claims are calculated below:

	Claims Remaining After Amendment		Highest Number Previously Paid	Present Extra	Rate	Additional Fee
Total	4	-	5	0	x \$ 50	0
Indep.	1	-	1	0	x \$200	0
<input type="checkbox"/> First Presentation of Multiple Dep. Claim(s)					+\$360	0
Subtotal						\$ 0
Reduction by ½ if small entity						- 0
TOTAL						\$ 0

☐ A fee of \$[Fee] to cover [Title of other paper(s)] is enclosed.

☒ A check for \$450.00 to cover the above fee(s) is enclosed.

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account 06-0916.

Dated: January 10, 2005

By: /David W. Hill/
David W. Hill
Reg. No. Reg. No. 28,220



PATENT
Customer No. 22,852
Attorney Docket No. 03327.2319-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
)	
Tomomi ENDO et al.)	Group Art Unit: 2839
)	
Application No.: 10/771,287)	Examiner: Le, Thanh Tam T
)	
Filed: February 5, 2004)	
)	
For: CONNECTOR CAPABLE OF)	Confirmation No.: 1144
PREVENTING INCOMPLETE)	
FITTING)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

In reply to the Office Action mailed August 10, 2004, please amend the
above-identified application as follows:

Amendments to the specification begin on page 2 of this paper.

Amendments to the claims begin on page 6 of this paper.

Amendments to the drawings are included in the attached replacement
drawing sheets. The amendments are discussed in this paper.

Remarks/Arguments begin on page 9 of this paper.

Attachments to this amendment include new Figures 6-8.